#### 

USSR

UDC 669.295.046.78

DENISOV, S. I., RASPOPIN, V. G., and DEGYAREV, B. S.

"Significance of the Limit of Charge Briquetting in the Melting of Titanium Concentrates"

Sb. tr. Vses. n.-i. i proyektn. in-t titana, [Collected works of All-Union Scientific-Research and Planning Institute for Titanium] 6, 1970, 12-15, (Translated from Referativnyy Zhurnal-Metallurgiya, No. 1, 1971, Abstract No. 176 by the authors).

Translation: It is established on the basis of results of studies of the melting of powdered and briquetted charges of Fe-Ti concentrate from the Samotkanskiy deposit (64% TiO<sub>2</sub>, 24% FeO), performed in an open type

commercial furnace with a power of 10,500 kva, that the time during which current is applied to the furnace is significantly higher when powdered titanium is used (95.5%) than when briquettes are melted (90.5%) due to the reduction in standing time between melting cycles. The productivity of the furnace as to slag is higher when the powdered charge is melted than when briquettes are melted (3.40 rather than 3.27 t/hr). However,

1/2

UDC 669,295,046,78

DENISOV, S. I., RASPOPIN, V. G., and DEGYAREV, B. S. Sb. tr. Vses n.i. i proyektn. in-t titana, [Collected works of All-Union Scientific-Research and Planning Institute for Titanium], 6, 1970, 12-15, (Translated from Referativnyy Zhurnal-Metallurgiya, No. 1, 1970, Abstract No. 1G176 by the authors).

when this charge is melted, increased losses in concentrate occur as dust carried away with the exhaust gases (3.6% more), which can be reduced by covering the furnace with an arch and organizing a system of dust traps. Technical-economic calculations have shown that the advantages produced in melting of a briquetted charge do not justify the high expenses involved in producing the briquettes, so that melting of a powdered charge is more profitable. 2 tables.

2/2

- 73 -

UDC 669.295.053.24

DEGTYAREV, V. S., DENISOV. S. I., DENISOVA, N. V., KIPRICH, N. A., AND GOBOV, A. P.

"Testing the Process of Melting of Titanium Slags on the Basis of Changing Electrical Resistance"

Sb. tr. Vses. n.-i. i proyektn. in-t titana [Collected works of All-Union Scientific-Research and Planning Institute for Titanium], 6, 1970, 27-29, (Translated from Referativnyy Zhurnal-Metallurgiya, No. 1, 1971, Abstract No. 1G188 by the authors).

Translation: Results are presented from a study of the electrical resistance of granulated Ti slags as a function of various factors at 25°. As the content of FeO changes from 15.49 to 2.5%, the resistivity of Ti slag with a grain size of less than 0.1 mm decreases from 3.08·10<sup>-5</sup> to 1.41·10<sup>3</sup> ohm·cm, i.e., by 218 times. Testing of the reduction electric melting of Ti concentrates, consisting of determination of FeO during the course of the process, can be performed by determining the electrical resistance of the slags. 2 figures; 1 table.

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

#### Titanium

**USSR** 

UDC 669.295

DENISOV, S. I., BLINOV, B. S., SHAKHRAY, I. M., and TITOMER, B. P.

"Magnetic Separation of Titanium Slag"

Moscow, Metallurgiya i Khimiya Titana (Institut Titana), Metallurgiya Publishing House, Vol 6, 1970, pp 7-12

Translation: An industrial electromagnetic separator was used in a study of conditions for separating crushed titanium slag as a function of the magnetic induction of the electromagnet, the magnitude of the slag particles, and the height of the layer. It is shown that, under optimal conditions for separating slag, it is possible to remove 70-80% of all metallic iron from it into the magnetic fraction and to obtain slag with a metal content of not more than 0.4-0.5 %. The expediency is shown of separating large slag parts (of a class greater than two millimeters), in which most of the metallic iron is concentrated independently. Two illustrations, three tables, and four bibliographic entries.

1/1

UDC 669.295.04

MOROZ, Yu. A., and DENISOV, S. I.

"Technological Specifics of Carrying Out a Single-Stage, Continuous Process of Melting Titanium Slags"

Moscow, Metallurgiya i Khimiya Titana (Institut Titana), Metallurgiya Publishing House, Vol 6, 1970, pp 15-17

Translation: The article reviews causes of disruption in the one-stage continuous process of smelting titanium slag, such as: slag blistering, the processes of melting down the charge in advance of the processes of restoration, rapid melting near the electrode spaces, charge caking on top of the furnace, and the formation of refractory "salamanders" in the furnace charge. These technological difficulties are eliminated where large ratios of furnace capacity to the mass of charge in the furnace are ensured, which takes place during smelting in one-phase, one-electrode furnaces or where wood by-products are used in the charge during smelting in the ordinary three-phase, three-electrode electric furnaces. Eight bibliographic entries.

1/1

55

UDC 669.259-04

DEGTYAREV, V. S., DENISOV, S. I., DENISOVA, N. V., KIPRICH, N. A., and GOBOV, A. P.

"On Controlling the Process of Smelting Titanium Slags by Change in Electric Conductivity"

Moscow, Metallurgiya i Khimiya Titana (Institut Titana), Metallurgiya Publishing House, Vol 6, 1970, pp 27-29

Translation: Results are given of an investigation of the electrical resistance of pulverized titanium slags at a temperature of 25°C. It is established that, with a change in the ferrous oxide content from 15.49 to 2.5%, the specific resistance of the titanium slag with a coarseness of -0.1 millimeters decreased from 3.08·10<sup>-5</sup> to 1.41·10<sup>-3</sup> ohms/cm, i.e., by a factor of 218. In the authors' opinion, control over reduction electrosmelting of titanium concentrates, which consists of determining ferrous oxide during the course of the process, can be exerted by establishing the electrical resistance of the slags. Two illustrations, one table, and three bibliographic entries.

1/1

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

UDC 669.295.112

RASPOPIN, V. G., and DENISOV, S. I.

"Efficient Operating Conditions and Calculating the Parameters of Thermal Ore Furnaces for Smelting Titanium Slags"

Moscow, Metallurgiya i Khimiya Titana (Institut Titana), Metallurgiya Publishing House, Vol 6, 1970, pp 29-33

Translation: Generalized results are presented from research on the selection of efficient electrical conditions for smelting titanium slags and the operation of thermal ore furnaces. On the basis of generalized research results, the dependencies of usable voltage and the diameter of the furnace bath on the transformer capacity supplied are presented. One table and ten bibliographic entries.

1/1

- 58 -

1/2. 024 UNCLASSIFIED PROCESSING DATE--11SEP70
TITLE--ELECTRICAL CONDUCTIVITY OF MELTS DURING THE REDUCTIVE SMELTING OF
TITANIUM CONCENTRATES -U-

AUTHOR-DENISOV, S.I., DEGTYAREV, V.S., REZNICHENKO, V.A.

COUNTRY OF INFO-USSR

SOURCE--IZV. AKAD. NAUK SSSR METAL. 1970, (1), 80-2

DATE PUBLISHED----70

SUBJECT AREAS--MECH., IND., CIVIL AND MARINE ENGR, MATERIALS

TOPIC TAGS--SLAG, ELECTRICAL CONDUCTIVITY, SMELTING FURNACE, TITANIUM, TITANIUM OXIDE, MOLTEN METAL

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1988/0540

STEP ND--UR/0370/70/000/001/0080/0082

CIRC ACCESSION NO--APO105525

UNCLASSIFIED

2/2 024
CIRC ACCESSION NO--APO105525
ABSTRACT/EXTRACT--(µ) GP-O- ABSTRACT. SAMPLES WERE TAKEN FROM THE FURNACE AT DIFFERENT TIMES DURING THE REDUCTIVE SMELTING OF FE-TI CONCS. SUB3, FROM 0 TO 24-26PERCENT, AND OF TIO, FROM 0 TO 4PERCENT. THAT OF TI SUB2 O CHANGES IN ELEC. COND. OF TI SLAGS WERE DETD. AS A FUNCTION OF TEMP. AND FROM 25-30 OHM-CM FOR THE INITIAL MELTING PROCESS, THE ELEC. COND. CHANGED THE OUTPUT WITH 4-5PERCENT FED.

UNCLASSIFIED

UNCLASSIFIED

PROCESSING DATE--11SEP70

ABSTRACT/EXTRACT--(µ) GP-O- ABSTRACT. SAMPLES WERE TAKEN FROM THE SUB2 O CONCS.

SUB3, FROM 0 TO 24-26PERCENT, AND OF TIO, FROM 0 TO 4PERCENT. THE TIME CONTENT OF TEMP. AND FROM 25-30 OHM-CM FOR THE INITIAL MELTING PROCESS, THE ELEC. COND. CHANGED THE OUTPUT WITH 4-5PERCENT FED.

UNCLASSIFIED

UNCLASSIFIED

1/2. 024 UNCLASSIFIED PROCESSING DATE--11SEP70
TITLE--ELECTRICAL CONDUCTIVITY OF MELTS DURING THE REDUCTIVE SMELTING OF
TITANIUM CONCENTRATES -U-

AUTHOR-DENISOV, S.I., DEGTYAREV, V.S., REZNICHENKO, V.A.

COUNTRY OF INFO--USSR

SOURCE--IZV. AKAD. NAUK SSSR METAL. 1970, (1), 80-2

DATE PUBLISHED----70

SUBJECT AREAS--MECH., IND., CIVIL AND MARINE ENGR, MATERIALS

TOPIC TAGS--SLAG, ELECTRICAL CONDUCTIVITY, SMELTING FURNACE, TITANIUM,

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1988/0540

STEP NO--UR/0370/70/000/001/0080/0082

CIRC ACCESSION NO--APO105525

INCLOSSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

2/2 024
CIRC ACCESSION NO--APO105525
ABSTRACT/EXTRACT-(U) GP-0- ABSTRACT. SAMPLES WERE TAKEN FROM THE FURNACE AT DIFFERENT TIMES DURING THE REDUCTIVE SMELTING OF FE-TI CONCS. THE CONTENT OF FEO VARIED FROM 23.9 TO 3.779ERCENT, THAT OF TI SUB2 O SUB3, FROM 0 TO 24-26PERCENT, AND OF TIO, FROM 0 TO 4PERCENT. THE CONTENT OF FEO. DURING THE MELTING PROCESS, THE ELEC. COND. CHANGED FROM 25-30 OHM-CM FOR THE INITIAL MELT TO 150-170 OHM-CM FOR THE SLAG AT THE OUTPUT WITH 4-5PERCENT FEO.

LINCLASSIFIED

UNCLASSIFIED

LINCLASSIFIED

PROCESSING DATE--11SEP70

PROCESSING DATE--11SEP70

PROCESSING DATE--11SEP70

THE CONTENT OF FEO.

PROCESSING DATE--11SEP70

ABSTRACT/EXTRACT. SAMPLES WERE TAKEN FROM THE SURGE.

THAT CONTENT OF FEO.

UNCLASSIFIED

LINCLASSIFIED

LINCLASSIFIED

LINCLASSIFIED

LINCLASSIFIED

LINCLASSIFIED

LINCLASSIFIED

UNCLASSIFIED PROCESSING DATE--13NOV70 1/2 032 TITLE--A STUDY OF THE ELECTRICAL CONDUCTIVITY OF TITANIUM SLAGS -U-

AUTHOR-(03)-DEGTYAREV, V.S., REZNICHENKO, V.A., DENISOV, S.I. Marie Har man or in the Control of State of of Stat

COUNTRY UF INFO--USSR

SOURCE--IZVEST. V.U.Z., TSVETNAYA MET., 1970, (1), 43-47

DATE PUBLISHED ---- 70

SUBJECT AREAS -- MATERIALS

TOPIC TAGS -- SLAG, TITANIUM, DRE BENEFICIATION, BIBLIOGRAPHY, ELECTRIC CONDUCTIVITY, METAL MELTING, ACTIVATION ENERGY, IRON ORE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--2000/0550

STEP NO--UR/0149/70/000/001/0043/0047

CIRC ACCESSION NO--APO124245

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

2/2 032	UNCLASSIFIED	PROCESSING DATE13NOV70	
CIRC ACCESSION NOAPO	0124245		
ABSTRACT/EXTRACT(II)	GP-O- ARSTRACT. THE FIEL	CTRICAL CONDUCTIVITY OF TI	
SLAGS OBTAINED AT VA	ARIOUS STAGES IN THE ELECT	DICTURE CONDUCTIVITY OF TE	
CONCENTRATES WAS STI	INTER THE COMMICTIVITY I	ACCUATING OF THE SECTIONS	
MATURE THE CRECKE	C ELECTRICAL COMOUCILVELY WA	AS MAINLY OF AN ELECTRONIC	
NATURE INE SPECIFI	C ELECTRICAL CONDUCTIVITY	AND THE ACTIVATION ENERGY	
ASSUCIATED THEREWITE	DEPENDED BOTH ON THE TOTA	AL TI CONTENT AND ON THE	
RATIO OF TI SUB2 O S	SUB3 PLUS TIO TO TIO SUB2.	THE CONDUCTIVITY-TEMP.	
RELATIONSHIPS ARE OF	PARTICULAR IMPORTANCE IN	DEVELOPING A METHOD OF	
DIFFERENTIAL MELTING	FOR FE, TI CONCENTRATES.		
		불림됐다는데 그 얼마는 얼마는 나는 사람	
	얼마 이번 얼마 한 어림이 얼마를 살아보니 하다.	的 關於 医电影 医电影 化多元化	
바닷컴 하면 이름 이용하는 네가는 이다.			
	그는 그 그는 그는 가게 하는 것으로 가게 하나 있다.	한 사람들은 일본 시간에 가는 사람들이 되었다.	
#### 1965년 1965년 11일 - 1965년 12일 - 196 - 1965년 12일 -	그는 사람들이 가장 하루 사람은 물살을 내릴 것 같다.		
	노시 문이 마리 이어 다른 글로 화를 하고 있다.	伊朗斯氏氏道 副二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
	그런 그의 그리는 하고 보고 밝혀 내려왔다. 남고		
	그는 이번 이 어디를 하고 있는 사람들이 되었다.		
	그 사고의 후 보이 가장을 잃었다. 그리다		
보통하는 것이 되는 것이 되었다. 그런 그 그 것이 있는 것이 되었다. 수가를 보는 것이 되었다. 그 것은 것이 되었다. 그는 것이 되었다. 그 것이 되었다.			
불통하다 공개들이 되지 않는다고요?	그는 이 그들은 그릇들이 가지 않아 그렇게 된다.		
	요 이 이어에 하면 명류를 가능하는데		
가방송하는 보고 그는 사람들이 들었다. 화가용 등 보고 보고 있는 것이 되었다. 그는 그 나는 것을 보고 있다.			:
폭종들은 경우 경험 기계를 위한 경우를 가게 되었다.	할 다시 전에가 연극되었다. 기계	N. 賃립하다 H.B. 회 하는 사람들이 되었다.	
	UNCLASSIFIED		
	- OMCTW221ETER		

UDC 669.716:621.777.2

BARANCHIKOV, V. M., GLEBOV, Yu. P., GOROKHOV, V. S., DENISOV, S. M., ZAKHAROV, M. F., MILORADOVA, O. N., KHARENKO, V. F., MILORADOVA, V. I.

"Development and Investigation of the Process of Pressing Rods and Shares of Aluminum Alloys with Lubricant Without Press-Residue"

Metallovedeniye Splavov Legkikh Metallov-Sbornik, Moscow, "Nauka", 1970, pp 129-137, resume

Translation: A number of problems related to the investigation of the process of pressing aluminum alloys with lubricant and the investigation of mechanical properties, macrostructure, and geometric dimensions of products are discussed. Technological-economical data on the process are presented. Five figures, nine tables, seven bibliographic references.

1/1

USSR

UDC: 621,384,664

CORIN, Yu. P., DENISOV S. P., MITIN, A. A., STOYANOV, D. A., SYTNIK, V. V., Institute of High-Energy Physics, Serpukhov

"A Target for Precise Measurements of the Cross Sections of the Interaction of Particles With Protons and Deuterons"

Moscow, Pribory i Tekhnika Eksperimenta, No 2, Mar/Apr 72, pp 29-31


Abstract: The paper describes the design and gives the characteristics of a target used for measuring the complete cross sections of interaction of pions, kaons, and protons with protons and deuterons on the accelerator at the Institute of High-Energy Physics in Scrpukhov. A diagram of the target is shown in the figure. The target is made entirely of stainless steel, with the exception of the shields and windows. The operating procedure for determining interaction cross sections is described. Measurement errors are analyzed. One figure, bibliography of four titles.

1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

USER

GORIN, Yu. P. et al., Pribory i Tekhnika Eksperimenta, No 2, 1972, pp 29-31



1-working space, 2-guard space, 3-nitrogen volume, 4-vacuum jacket, 5-knife, 6-diaphragm, 7-cables, 8-mylar windows, 9-zeolite, 10-copper shields, 11, 13-aluminized mylar shields, 12-activated charcoal, 14-plumb line, 15-filler tubes, 16-valve, 17-coil, 18-manometric vacuum meter, 19-siphon, 20-safety valve, 21-reference instrument.

030 1/2 UNCLASSIFIED PROCESSING DATE--160CT70 TITLE--ABSORPTION CROSS SECTIONS OF 25 GEV-C ANTIDEUTERONS IN LI. C. AL. CU AND PB -U-AUTHOR-(03)-BINON, F., DENISOV, S.P., DONSKOV, S.V. COUNTRY OF INFO--USSR SOURCE--PHYS. LETT.; 31B: 230-2(16 FEB 1970) DATE PUBLISHED--16FEB70 . . SUBJECT AREAS--PHYSICS TOPIC TAGS--CAPTURE CROSS SECTION, ANTIPARTICLE, DEUTERON BOMBARDMENT, PION, ANTIPROTON, LITHIUM, CARBON, ALUMINUM, COPPER, LEAD CONTROL MARKING--NO RESTRICTIONS DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1982/0678 STEP NO--NE/0000/70/031/000/0230/0232 CIRC ACCESSION NU--APO052137 UNCLASSIFIED

2/2 030 UNCLASSIFIED PROCESSING DATE--160CT70 CIRC ACCESSION NO--AP0052137 ABSTRACT/EXTRACT--(U) GP-0-ABSTRACT: ABSORPTION CROSS SECTIONS WERE MEASURED FOR THE INTERACTION OF ANTIDEUTERONS IN LITHIUM, CARBON, ALUMINUM, COPPER, AND LEAD TARGETS AT 25 GEV-C, USING THE STANDARD SIMILAR MEASUREMENTS WERE ALSO MADE FOR PIONS TRANSMISSION TECHNIQUE. AND ANTIPROTONS. THE COMPARISON OF THE VARIOUS ABSURPTION CROSS SECTIONS SHOWS THAT NUCLEI ARE BLACK FOR BAR P AND BAR D BUT THAT THE VALUES ARE MUCH LARGER FOR BAR D THAN FOR BAR P. FACILITY: INST. FOR HIGH ENERGY PHYSICS, SERPUKHOV, USSR. UNCLASSIFIED

UDC 537.533.74

## DENISOV, S. S.

"Inelastic Reflection of Electrons from Metals and Elementary Semiconductors for Slant Incidence of the Primary Electron Beam"

Tomsk, Izvestiya Vysshikh Uchebnykh Zavedeniy -- Fizika, No 8, 1973, pp 156-

Abstract: The coefficient of secondary electron emission  $\sigma$  is described as a function of the angle of incidence  $\theta$  of the primary electrons by the Luk'yanov formula [ZhETF, No 7, 856, 1937]:

$$\ln \sigma = B - 2/3 \beta \cos \theta; \tag{1}$$

where B is a constant,  $\beta = \ell_1/\ell_2$  (the path of the primary electron is  $\ell_1$ , and the path of the secondary electron is  $\ell_2$ ). For the coefficient of inelastic reflection of electrons  $\eta$  expression (1) can be reduced to the form

$$\ln \pi / \eta_0 = 2/36 (1 - \cos \theta)$$
; (2)

where  $n_0$  is the value  $\eta$  for  $\theta=0$ ,  $\beta$  is the constant for the given material.

DENISOV, S. S., Izvestiya Vysshikh Uchebnykh Zavedeniy --- Fizika, No 8, 1973, pp 156-157

The value of  $\beta$  is determined for the largest possible number of elements, and the relation  $\beta(z)$  (z is the atomic number) which is constructed can be used to calculate  $\eta(\theta)$ , measuring only  $\eta_0$ . The graphs of  $\ln \eta/\eta_0$  (cos  $\theta$ ), constructed by the published measurements are presented. An analysis of the graphs shows that the derivation of relation (1) for inelastically reflected electrons is inapplicable and relation (2) must be considered as an empirical relation which lacks a theoretical foundation.

2/2

- 20 -

1/2 050 UNCLASSIFIED TITLE--DRAG COEFFICIENT IN UNSTEADY FLOWS -U-

PROCESSING DATE--20NOV70

AUTHOR-DENISOV, S.V.

COUNTRY OF INFO-USSR

SOURCE-INZHENERNO-FIZICHESKIY ZHURNAL, 1970, VOL 18, NR 1, PP 118-123

DATE PUBLISHED -----70

SUBJECT AREAS-PHYSICS

TOPIC TAGS--DRAG COEFFICIENT, FRICTION, FRICTION COEFFICIENT, TURBULENT FLOW, WATER, FLOW ANALYSIS, MATHEMATIC ANALYSIS, FLOW VELOCITY

CENTREL MARKING-NC RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1998/0542

STEP NO--UR/0170/70/018/001/0118/0123

CIRC ACCESSION NO--APO121214

UNCLASSIFIED.

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

2/2 050 UNCLASSIFIED CIRC ACCESSION NO--APO121214 PROCESSING DATE--20NOV70 AESTRACT/EXTRACT--(U) GP-0- ABSTRACT. FIG. 1. SCHEME OF EXPERIMENTAL INSTALLATION: 1, PUMP; 2, RECEIVER; 3, AIR TANK; 4, CAPILLARY THROTTLE; 5. MIXING CHAMBER; 6. FLOW RATE PROBE; 7. FLOWMETER; 8. WORKING SECTION; 9, PRESSURE CROP METER; 10, THERMOMETER; 11, MEASURING TANK; 12, FEED TANK: 13, MANGMETER: 14, DIFMANOMETER. FIG. 2. GRAPH OF TIME CHANGE OF VELOCITY W. M-SEC, PRESSURE GRADIENT DELTA P-DELTA X, BAR-M AND OF REDUCED FRICITON COEFFICIENT LAMBDA: FIG. 3. COMPARISON OF EXPERIMENTAL DATA WITH PREDICTED BY FORMULA (9) VALUES OF REDUCED COEFFICIENT OF UNSTEADY FRICTION LAMBDA. SUMMARY. IN THE PAPER THE RESULTS OF EXPERIMENTAL STUDY OF THE FRICTION DRAG COEFFICIENT FOR AN ACCELERATED TURBULENT FLOW CF WATER IN A SMOOTH TUBE ARE PERSENTED. THE MEASUREMENTS ARE CARRIED OUT ON A TUBE WITH INNER DIAMETER 10 MM, LENGTH 2.4 M AND WATER FLOW ACCELERATION FROM 8 TO 140 M-SEC PRIMEZ. THE EXPERIMENTAL DATA OF THE COEFFICIENT OF UNSTEADY FRICTION ARE CORRELATED BY EQUATION (9).

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

AND017050

On All spinsters

UR 9015

AUTHOR--

DENISOY W, HEAD OF A CHAIR AT THE KIYEV INSTITUTE FOR ENGINEERS OF CIVIL AVIATION, DOCTOR OF TECHNICAL

SCIENCES, PROFESSOR

NEWSPAPER -- RABOCHAYA GAZETA, JANUARY 30, 1970, P 3, COLS 1-6

ABSTRACT— THE ARTICLE DISCUSSES THE PROBLEMS OF INFORMATION COMPATIBILITY AND ENERGONOMICS, THE SCIENCE THAT STUDIES OPERATOR—MACHINE-MEDIUM SYSTEMS AND URGES THE ESTABLISHMENT OF ERGONOMIC LABORATORIES IN EVERY INDUSTRY.

ab

19600214

30

1/1

1/2 039 UNCLASSIFIED
TITLE-A SIGHT SEEING TOUR OF THE SOYUZ SHIP -U-

PROCESSING DATE--11SEP70

AUTHOR--DENISOV, V., ALIMOV, V.

COUNTRY OF INFO--USSR

SOURCE--IZVESTIYA, JUNE 13, 1970, P 3, COLS 1-7

DATE PUBLISHED----70

SUBJECT AREAS--SPACE TECHNOLOGY

TOPIC TAGS--MANNED SPACECRAFT, SPACE STATION, MANNED ORBITAL LABORATORY/(U)SOYUZ 9 MANNED SPACECRAFT

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1987/1182

STEP NO--UR/9003/70/000/000/0003/0003

CIRC ACCESSION NO--ANOIO4548

UNCLASSIFIED

2/2 039 UNCLASSIFIED PROCESSING DATE--115EP70
CIRC ACCESSION NO--ANO10454B
ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. A VERY GENERAL DESCRIPTION OF THE
SOYUZ TYPE SPACE SHIP IS GIVEN. IN SUMMING UP, THE AUTHORS STATE THAT
THE FLIGHT OF THE "SOYUZ 9" BRINGS CLOSER THE TIME OF LONG LIFE ORBITAL
STATIONS.

UNCLASSIFIED

UNCLASSIFIED

BELONOGOV, G. G., ZINOV'YEV, E. V., DENISOV, V. F.

"Automatic Retrieval of Documents on the Basis of the Text of their Abstracts"

Avtomatika i Vychisl. Tekhn. [Automation and Computer Technology], 1972, No 5, pp 73-79 (Translated from Referativnyy Zhurnal Kibernetika, No 4, 1973, Abstract No 4V647, by the authors).

Translation: Methods of automatic retrieval of documents on the basis of the texts of their abstracts using associative-address representation in digital computer memory are studied. In the retrieval system suggested, requests are automatically translated from formalized Russian into machine language, and the texts of the abstracts are output as responses to the requests.

1/1

- 85 -

UNCLASSIFIED PROCESSING DATE--020C170
TITLE--KEMOVAL OF DUST FROM MERCURY CONTAINING GASES FROM TUBE FURNACES BY
DRY ELECTROSTATIC PRECIPITATORS -UAUTHOR-(04)-SHEBZUKHOV, D.A., DENISOV, V.F., KLEANDROV, T.N., GUDIN, B.S.

COUNTRY OF INFO--USSR

SGURCE--TSVET. METAL. 1970, 43(1), 35-9

DATE PUFLISHED----70

SUBJECT AREAS--MECH., IND., CIVIL AND MARINE ENGR

TOPIC TAGS-INDUSTRIAL FURNACE, MERCURY, AIR POLLUTION, ELECTROSTATIC PRECIPITATION

CENTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1989/0749

STEP NO--UR/0136/70/043/001/0035/0039

CIRC ACCESSION NO--APO107291


UNCLASSIFIED

CIRC ACCESSION NO—APOLO7291

ABSTRACT/EXTRACT—(U) GP-O— ABSTRACT. THE INPRINCIPLE POSSIBILITY OF EMPLOYING AN ELECTROSTATIC PRECIPITATOR FOR REMOVAL OF DUST FORM HG ELECTROSTATIC PRECIPITATORS MAKES IS DEMONSTRATED. THE INSTALLATION OF OF REPROCESSED STUPP, AND TO INCREASE THE DIRECT EXTN. OF HG FROM IT. ELECTROSTATIC PRECIPITATORS ALSO HAVE A DEFINITE ECONOMIC ADVANTAGE.

UNCLASSIFIED

USSR				
DENISOV, V. G., and ONIS	HCHENKO, V. F.			
Shagi sredi Zveza, (Step 1970, 160 pp	s Among the Stars),	Moscow, "Zna	niye" Publis	shing House,
Translation:				
Table of Contents				
Introduction	ink between Systems and Automaton rator in Flight erator in Flight			



UDC: 656, 25-50

DENISOV, V. I., Chief Engineer of the Gor'kiy Road Computer Center

"Comparison of Data Transmission Systems"

Moscow, Avtomatika, Telemekhanika i Svyaz', No 10, 1971, pp 23-26

Abstract: Data transmission systems are compared as one of the most important problems in constructing a railroad computer center. A study is made of the dependence of the data volumes on the utilization of various service codes. Formulas are derived for the following estimator coefficients: the use coefficient of the constant symbols, the service code coefficient, the model redundancy factor, the informative redundancy factor, the error correction data redundancy factor, and the data recurrence factor in the simulators. Tables of values of the coefficients calculated by the derived formulas are presented both for general calculations and specifically for the Svetofor system. Heans of evaluating data transmission systems are discussed. The comparison results show that the application of specialized data transmission equipment is most expedient. If the volume of manual operations with respect to data preparation in the Svetofor system is taken as 100%, then in a system with decision feedback without waiting for the answer it is 105%, and in a system with decision feedback with waiting it is 103%. In the first stage, with insignificant volumes 1/2

DENISOV, V. I., Avtomatika, Telemekhanika i Svyazi, No 10, 1971, pp 23-26

of problems of improving information reliability solved by the computer center, redundancy by elements can be achieved. Thus, before building a computer center it is expedient to consider the general paths of development of the information and organizational communications on the railroad.

2/2

- 54 -

USSR

UDC: 621.318.4

YAMNIKOV, Yu. V., DENISOV, V. I

"Some Problems in Optimum Planning of the Design Parameters of Inductance Coils Using Statistical Experiment Methods"

V sb. Teoriya i praktika ispol'z. sredstv tekhn. kibernetiki. Kn. 1 (Theory and Practice in Using the Facilities of Technical Cybernetics. Book 1-collection of works), Novosibirsk, 1970(1971), pp 176-182 (from RZh-Radio-tekhnika, No 6, Jun 71, Abstract No 6V434)

Translation: The authors discuss the use of the statistical theory of planning of experiments for determining the optimum wire diameter for a coil. The effectiveness of the proposed method of calculation is confirmed by the design of a number of devices. Bibliography of 6 titles. N. S.

1/1

Inorganic Compounds

USSR

ФС 541.127. / 546.681'18+546.681'19+

SHURYGIN, P. M., MARBAKH, A. L., DENISOV, V. M., IVANOV, V. V., Krasnoyarsk Institute of Nonferrous Metals imeni M. I. Kalinin

"Kinetics of Thermal Dissociation of GaP and GaAs Under a Layer of Flux"

Moscow, Doklady Akademii Nauk SSSR, Vol 204, No 6, 21 Jun 72, pp 1419-1421

Abstract: The authors investigated the kinetics of thermal dissociation of gallium phosphide and gallium arsenide under a layer of B<sub>2</sub>O<sub>3</sub> doped with Na<sub>2</sub>O, SiO<sub>2</sub> and GeO<sub>2</sub> at various pressures of argon. The process of vaporization of the volatile component of the compound — formation and growth of the gas bubble, its detachment from the molten semiconductor and rise in the flux — was observed visually and photographically. The rate of dissociation was determined from the number and sizes of bubbles escaping from the interface between phases or from the change in weight of the specimens. The results show that the vaporization of arsenic and phosphorus in the process of dissociation of gallium arsenide and gallium phosphide under molten flux is limited by the processes for formation and growth of bubbles. These processes depend on the external pressure of the inert gas and may be controlled by changing the composition of the flux. The pressure which prevents or 1/2

SHURYGIN, P. M., et al., Doklady Akademii Nauk SSSR, Vol 204, No 6, 21 Jun 72, pp 1419-1421

strongly suppresses gas release can be lowered considerably by appropriate selection of a flux with high surface tension.

2/2

- 22 -

UNCLASSIFIED PROCESSING DATE--11SEP70 TITLE-ON THE DETERMINATION OF MEAN SPEED OF WATER FLOW ALONG THE VERTICAL FROM MEASUREMENTS OF LOCAL SPEEDS AT TWO OR THREE POINTS -U-AUTHOR-DENISOV, V.M.

COUNTRY OF INFO--USSR

1/2 006

SOURCE--METEOROLOGIYA I GIDROLOGIYA, 1970, NR 2, PP 86-91

DATE PUBLISHED ---- 70

SUBJECT AREAS -- EARTH SCIENCES AND OCEANOGRAPHY

TOPIC TAGS--SPEED INDICATOR, WATER

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1987/0870

STEP NO--UR/0050/70/000/002/0086/0091

CIRC ACCESSION NO--APO104306

UNCLASSIFIED

2/2 006 UNCLASSIFIED PROCESSING DATE--11SEP70
CIRC ACCESSION NO--APO104306
ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. A METHOD IS SUGGESTED FOR CHECKING
THE RELIABILITY OF DETERMINING THE MEAN SPEED OF WATER FLOW ALONG THE
VERTICAL FROM DATA OF SIMPLIFIED MEASUREMENTS, AS WELL AS THE
CALCULATION OF DISTRIBUTION OF LOCAL SPEEDS OF THE FLOW ALONG THE
VERTICAL IN RELATION TO MAXIMUM AND MEAN SPEED.

UNCLASSIFIED

USSR UDC: 69.058.5

RUPPENEYT, K. V., DENISOV V. N., TARASOVA, I. V., GOLUBEV, A. V., Scientific Research Institute of Foundations and Subterranean Structures


"A Method of Studying Rock Masses and Liners of Subterranean Structures"

Moscow, Otkrytiya, Izobreteniya, Promyshlennyye Obraztsy, Tovarnyye Znaki, No 7, Mar 72, Author's Certificate No 329417, Division G, filed 26 Jun 70, published 9 Feb 72, p 163

Translation: This Author's Certificate introduces a method of studying rock masses and liners of subterranean structures by measuring stresses in a drilled shaft. As a distinguishing feature of the patent, accuracy is improved by returning the rock mass to its initial position after measuring the stresses in the drilled shaft, using pickups to register the pressure in the rock mass.

1/1

- 110--



AM 00335		
Dmitriyev, A.	Ya.; Denisov, V. P.; Timonin, A. A.; Yermilov, A. A.	.; Zhelyabin,
B. I.; Grisni	n, E. Ya., Kirsanov, A. V.; Polyakov, V. A.; Leonido	<u>v, I. L.</u>
	hicles to Orbital Stations (Ot kosmicheskikh ko- tal'nym stantsiyam) Moscow. Mashinostroyeniye.	
	tor nym occurry may hoseow. Hashinostroyentye.	
TABLE OF CONT	ENTS:	
Preface		3
Chapter I	The Main Stages of Soviet Astronautics	5
II	The Program of Piloted Vehicles "Vostok and Voskhod	" 11
III	The Program of Piloted Vehicles "Soyuz"	19
IV	Main Flight Stages of the Vehicles "Soyuz"	43
V	The World's First Experimental Cosmic Station and	
	Prospects of Orbital Flights	60
main stages of	s of the Soviet program for piloted flights and exami development of Soviet Astronautics. Shown are pros nt of orbital stations.	ines the spects for
`		

1/2 018 UNCLASSIFIED PROCESSING DATE-300CT70
TITLE-INHIBITION OF CUMENE OXIDATION BY A CO DH SUB2 PYCL COMPLEX -U-

AUTHOR-(02)-DENISOV, YE.T., ZUBAREVA, N.G.

CCUNTRY OF INFO-USSR

SOURCE--IZV. AKAD. NAUK SSSR, SER. KHIM. 1970, (3), 575-80

DATE PUBLISHED 70

SUBJECT AREAS-CHEMISTRY

TOPIC TAGS—CUMENE, CHEMICAL REACTION KINETICS, OXIDATION INHIBITION, COBALT COMPLEX, PEROXIDE

CONTROL MARKING-NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--2000/0744

STEP NO--UR/0062/70/000/003/0575/0580

CIRC ACCESSION NO--APO124414

UNCLASSIFIED

018 UNCLASSIFIED .. PROCESSING DATE--300CT70 CIRC ACCESSION NO-AP0124414 ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. KINETIC CURVES WERE GIVEN FOR UPTAKE OF O BY CUMENE AT 55DEGREES WITH AND WITHOUT ADDEDTITLE COMPLEX I (DH EQUALS DIMETHYLGLYOXIME). KINETIC ANAL. OF THE DATA SHOWED THAT I HAS A HINDERING EFFECT ON THE OXIDN., OWING TO REACTION OF I WITH THE PERGXIDE RADICALS. THE CHAIN TERMINATIONS FOLLOWED BOTH 1ST AND 2ND ORDER KINETICS IN RESPECT TO PEROXIDIC RADICALS. THE RATE CONSTANTS FOR INDIVIDUAL REACTION STEPS WERE CALCD. AND TABULATED FOR TEMPS. FOR 45 TO 55DEGREES. FACILITY: INST. KHIM. FIZ., MOSCOW, USSR. UNCLASSIFIED 

UNCLASSIFIED PROCESSING DATE--11SEP70
TITLE--REACTIONS OF ATOMS AND RADICALS WITH ONE ANOTHER IN THE LIQUID

PHASE -U-

AUTHOR-DENISOV, YE.T.

COUNTRY OF INFO--USSR

SOURCE-USP. KHIM. 1970, 39(1), 62-93

DATE PUBLISHED ---- 70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--FREE RADICAL, HYDROXYL RADICAL, PEROXIDE, NITROGEN, TIN, ATOM, SOLVENT ACTION, THERMODYNAMIC PROPERTY

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1984/1695

STEP NO--UR/0074/70/039/001/0062/0093

CIRC ACCESSION NO--APO100292

UNCLASSIFIED

UNCLASSIFIED PROCESSING DATE--11SEP70
CIRC ACCESSION NO--APO100292
ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. A REVIEW WITH 165 REFS. THROUGH
1968, DEALING WITH RECOMBINATION OF FREE RADICALS IN SOLN.,
DISPROPORTIONATION AND RECOMBINATION REACTIONS OF ALKYL FREE RADICALS,
REACTIONS OF RO AND HO RADICALS, REACTIONS OF PERDXIDE FADICALS AND
THOSE WITH THE ODD ELECTRON ON N OR SN ATOMS, EFFECTS OF SOLVENTS ON
RADICAL REACTIONS, AND THE INFLUENCE OF VISCOSITY ON THESE. RATE CONST.
DATA ARE TABULATED FOR NUMEROUS REACTIONS, ALONG WITH PERTINENT
THERMODYNAMIC DATA.

UNCLASSIFIED

UNCLASSIFIED

PROCESSING DATE--11SEP70

PROCESSING DATE--11SEP70

PROCESSING DATE--11SEP70

THROUGH WITH 165 REFS. THROUGH
1968, DEALING WITH 165 REFS. THROUGH
1968, DEALING DATE.

1/2 016 UNCLASSIFIED PROCESSING DATE—300CT70
TITLE—KINETICS AND MECHANISM OF METHYL ETHYL KETONE OXIDATION IN THE
PRESENCE OF COMPLEXES OF IRON, III, AND 9, PHENANTHROLINE -UAUTHOR-(02)-KOMISSAROV, V.D., DENISOV, YE.T.

COUNTRY OF INFO-USSR

SGURCE-ZH. FIZ. KHIM. 1970, 44 (2), 390-5

DATE PUBLISHED 70

SUBJECT AREAS—CHEMISTRY

TOPIC TAGS—CHEMICAL KINETICS, METHYL ETHYL KETONE, CATALYTIC OXIDATION, CHEMICAL REACTION MECHANISM, IRON COMPOUND, COMPLEX COMPOUND, CATALYST REGENERATION

CONTROL MARKING-NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--2000/0891

STEP NO--UR/0076/70/044/002/0390/0395

CIRC ACCESSION NO--APO124554

UNCLASSIFIED

2/2 016 UNCLASSIFIED PROCESSING DATE—300CT70
CIRC ACCESSIGN NO—APO124554
ABSTRACT/EXTRACT—(U) GP-0— ABSTRACT. KINETIC DATA ON THE DXIDN. OF ACET
IN AQ. SOLN. BY MOL. O CATALYZED BY FE(III), O, PHENANTHROLINE COMPLEXES
(I) INDICATE THAT THE MECHANISM INVOLVES OXIDN. OF MECH:C(OHME BY I TO
MEC:C(OTIMES)ME, WHICH DECOMP. TO MECH TIMES AC, WHICH REACTS WITH O TO
FORM MECH(OOH)AC, WHICH DECOMP. BOTH TO FREE RADICALS THAT ACCELERATE
THE OXION. NAD TO THE OXION. PRODUCTS ACH AND ACOH. THE OVERALL RATE
DEPENDS ON PH AND O PRESSURE. THE AMT. OF FE(III) THAT IS REDUCED
LEVELS OFF AT GOPERCENT OURING THE OXION., INDICATING REGENREATION.
FACILITY: FILIAL INST. KHIM. FIZ., CHERNOGOLOVKA, USSR.

1/2 010 UNCLASSIFIED PROCESSING DATE--04DEC70
TITLE--INHIBITION OF THE INITIATED OXIDATION OF CUMENE BY MOLECULAR IDDINE

AUTHOR-(03)-ALEKSANDROV, A.L., SAPACHEVA, T.I., DENISOV, YE.T.

COUNTRY OF INFO--USSR

SOURCE--ZH. FIZ. KHIM. 1970, 44(4), 1122-4

DATE PUBLISHED-----70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--OXIDATION INHIBITION, CUMENE, IODINE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--3007/0793

STEP NO--UR/0076/70/044/004/1122/1124

CIRC ACCESSION NO--AP0136227

UNCLASSIFIED

2/2 010 UNCLASSIFIED PROCESSING DATE--04DEC70
CIRC ACCESSION NO--APO136227
ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. THE RATE OF THE MOL. IODINE
INHIBITED OXIDN. OF CUMENE (RH) INITIATED BY AZODIISOBUTYRONITRILE (I)
INCREASES LINEARLY WITH O PARTIAL PRESSURE. THUS, THE CHAIN BREAKING IS
DUE TO THE REACTION OF IODINE WITH R (AND NOT RO SUB2) RADICALS. THE
RATIO OF REACTION RATE CONSTS. K(R PLUS I SUB2) OVER K(R PLUS O SUB2)
APPROXIMATELY EQUAL TO 0.45 AT 75DEGREES. IODINE IS REGENERATED FROM
THE INTERNEDIATE RI MAINLY BY PEROXY RADICALS AND ALSO BY O.
FACILITY: INST. KHIM. FIZ., MOSCOW, USSR.

UDC 620.178.169.05

USSR

PEREL MAN, R. G., and DENISOV, YU. D., Moscow Aviation Institute

"Installation for Accelerated Tests for Resistance to Erosion"

Moscow, Zavodskaya Laboratoriya, No 4, 1973, pp 472-473

Abstract: An erosion testing installation is described in which specimens, rotating in a vacuum chamber and colliding with dispersion drops (d=0.3-1.2 mm) from a drop generator, erode in a medium of saturated (team. As the rotating velocity of specimens is two orders higher than steam. As the rotating velocity of specimens is two orders higher than the vertical motion speed of the drops, the collision takes place practically at right angles. At v=300 m/sec rotation velocity, i-mm drops produce at 1.6 mm wide and 10 mm high erosion zone. Materials of Kh18N9T, at 1.6 mm wide and 10 mm high erosion zone. Materials of Kh18N9T, 2Kh13, or 15Kh12VMF types begin to wear out after 15-20 min at v=s00 m/sec and d=1 mm. Characteristic dependences of erosion wear, determined from weighing the specimens and microscopically investigating their caverns, are shown. Three figures, one table.

1/1

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

UDC: 621.44

PEREL!MAN, R. G., Candidate of Technical Sciences, Docent, BAULIN, V. I., Assistant and DENISOV. YU. D., Graduate Student

The Role of Dynamic Stresses During Droplet Impact Erosion"

Moscow, Izvestiya Vysshikh Uchebnykh Zavedeniy, Mashinostroyeniye, No 5, 1973, pp 64-70

Abstract: The authors study the basic regularities associated with the droplet impact erosion of the blades of wet-steam turbines during the period of discovered damage on the basis of analyzing the dynamic stresses in an elastic half-space during its collision with a droplet. The authors conclude that the cyclic effect of Rayleigh surface waves during this period represent the main damage factor. Experimental data are given which support the validity of the new droplet impact erosion model. This article was presented for publication by Professor G.S. Skubachevskiy of the Moscow Aviation Institute.

1/1

- 112 -

UNCLASSIFIED TITLE-A CISCOVERY MADE BY A SOVIET PHYSICIST -U-

PROCESSING DATE--20NOV70

AUTHOR -- DENISYUK, YU.N.

CCUNTRY OF INFG--USSR

022

SOURCE--PRAVCA, AUGUST 1, 1970, P 2, COL 8

DATE PUBLISHED ---- 70

SUBJECT AREAS--PHYSICS

TOPIC TAGS-HCLEGRAM, PHYSICS PERSONNEL

CENTROL MARKING-NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1999/0903

STEP NO--UR/9012/70/000/000/0002/0002

CIRC ACCESSION NO--ANOI22947

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

2/2 022 CIRC ACCESSICN NOANO1229 ABSTRACT/FXTRACT(II) CR-0		PROCESSING DATE20NOV70
ABSTRACT/EXTRACT-(U) GP-O MAKING AND REPRODUCING H CONSIDERED BY THE COMMIT ACKNOWLEDGED AS THE OUTS	TEE EOD INVENTIONS AND O	U. N. DENISYUK, HAS BEEN
**************************************	NCLASSIFIED	

UNCLASSIFIED PROCESSING DATE--04DEC70
TITLE--INFLUENCE OF THE STRUCTURE OF THE TRANSVERSE MODES OF A RADIATION
SOURCE ON THE HOLOGRAM GENERATED IMAGE -UAUTHOR-(02)-STASELKO, D.I., DENISYUK, YU.N.

COUNTRY OF INFO--USSR

SOURCE-OPTIKA I SPEKTROSKOPIIA, VOL. 28, FEB. 1970, P. 232-330

DATE PUBLISHED --- FEB70

SUBJECT AREAS -- PHYSICS

TOPIC TAGS--HOLOGRAM, RADIATION SOURCE, PULSE LASER, RUBY LASER


CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1992/1483

STEP NO--UR/0051/70/028/000/0323/0330

CIRC ACCESSION NO--APO112477

UNCLASSIFIED



UNCLASSIFIED PROCESSING DATE--27NOV70
TITLE--STUDIES ON THE EFFECTS OF THE SPACE SOLAR KADIATION ON SPACECRAFT
MATERIALS AND COATINGS -UAUTHOR-(02)-KOSELKIN, V.V.. DENISOV. Y.N.

COUNTRY OF INFO--USSR

SOURCE-FOURTH CRANFIELD FLUIDICS CONFERENCE 17TH-20TH MARCH 1970.
DATE PUBLISHED---MAR70

SUBJECT AREAS -- ASTRONOMY, ASTROPHYSICS, MATERIALS, SPACE TECHNOLOGY

TOPIC TAGS--SOLAR RADIATION, PROTECTIVE COATING, SPACE RADIATION, AEROSPACE MATERIAL, SPECTRUM, MATERIAL DEGRADATION, SPACECRAFT

CONTROL MARKING-NO RESTRICTIONS

PROXY REEL/FRAME--3006/1185

STEP NO--UK/0000/70/000/000/0000/0000

CIRC ACCESSION NO--AT0134864

UNCLASSIFIED-

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

:UNCLASSIETED .UNCLASSIFIED CIRC ACCESSION NO--AT0134864 PROCESSING DATE--27NOV70 ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. A SHORT WAVE PART OF THE SOLAR RADIATION IN SPACE MAY CAUSE DEGRADATION AND CHANGES OF PROPERTIES OF OPTICAL MATERIALS, THERMAL CONTROL COATINGS AND SOME ORGANIC MATERIALS. THE FLIGHT TEST OF PASSIVE THERMAL CONTROL COATINGS ABOARD "KOSMOS" SATELLITES HAVE SHOWN THAT SOLAR ABSORPTANCE OF SOME COATINGS MAY BE INCREASED BY 2-2.5 TIMES DUE TO SPACE RADIATION. A NUMBER OF SOURCES USED FOR THE SIMULATION OF NEAR AND VACUUM ULTRAVIOLET REGIONS OF THE SPACE SOLAR RADIATION IS INVESTIGATED. RECOMMENDATIONS ARE SUGGESTED FOR CHOOSING A SOURCE WITH REQUIRED ENERGY AND SPECTRUM PERFORMANCE, WHICH ENABLES TO SIMULATE THE EFFECT OF THE SPACE SOLAR RADIATION ON MATERIALS. THE DEPENDANCE OF THE EXPERIMENTAL RESULTS ON A SPECTRUM COMPOSITION OF THE RADIATION AND ON TEST CONDITIONS IS SHOWN THROUGH OBTAINED DATA OF DIFFERENT MATERIALS TESTS. PRINCIPAL RECOMMENDATIONS ON TEST METHODS OF THE SPACE SOLAR RADIATION EFFECT ON MATERIALS ARE GIVEN. THE POSSIBILITIES OF ACCELERATED TESTS OF MATERIALS FOR LONG DURATION SPACE MISSIONS ARE DISCUSSED.

UNCLASSIFIED

2/2

049

USSR

UDC: 621.396.69:621.319.4

DENISOV, Yu. P.

"A Semiautomatic Machine for Painting and Drying KD-2a Capacitors"

Elektron. tekhnika. Nauchno-tekhn. sb. Tekhnol. i organiz. proiz-va (Electronic Technology. Scientific and Technical Collection. Technology and Organization of Production), 1970, vyp. 4 (36), pp 129-132 (from RZh-Radiotekhnika, No 1, Jan 71, Abstract No 1V285)

Translation: The author describes a semiautomatic device for painting and drying ceramic disc capacitors. The machine produces high-quality coatings. The module for application of the coating is a vat with tracks for the capacitor leads and a pouring tube mounted above the vat. In applying the coating, the capacitor discs are partially immersed in the vat, and then the same paint material is poured over them from above. Radiant heat is used for drying. N. S.

1/1

0

UDC 621.396.69:621.319.4(088.8)

DENISOV, YU. P.

"A Device for Orienting and Loading Disc Capacitors"

USSR Author's Certificate No 235854, Filed 6 Jun 67, Published 5 Jun 69 (from RZh-Radiotekhnika, No 6, Jun 70, Abstract No 6V371P)

Translation: The patented device contains a conveyer and an orientation mechanism which is distinguished by the fact that the primary orientation unit is made in the form of two movable flat springs which are suspended on columns and located one behind the other. The orientation mechanism also contains a unit for checking orientation accuracy, and a secondary capacitor orientation unit equipped with a mechanism for turning the capacitors through 180°. The design of the medules in the device is described. Seven illustrations. Ye. M.

1/1

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

• USSR UDC 539.3:4

VOLKOV, S. D., GIRS, V. N., <u>DENISOV. Yu. V.</u>, <u>KLINSKIKH</u>, N. A., and <u>KOMISSAROVA</u>, M. L., Sverdlovsk, Ural Polytechnic Institute imeni S. M. Kirov

"On Methods of Solving Problems of Thermoelasticity"

Kiev. Problemy Prochnosti, No 5, May 73, pp 3-8

Abstract: The previously by one of the authors suggested new method of applying Green's functions of Laplace equation for derivation of universal algorithms for isothermic problems, which was propagated to problems of thermoelasticity (Ibid.; Volkov, S. D., et al., No 2, 1972), presented the solution by a series of quadratures the convergence of which was demonstrated on an example with already known solution. Some results of a further development of this method are reported. It is demonstrated that by known Green's function of Laplace equation of a given domain, the reduction to a series of quadratures can be applied to the solution of adisconnected boundary problem of

1/2

WOLKOV, S. D., et al., Problemy Prochnosti, No 5, May 73, pp 3-8

thermoelasticity of homogeneous isotropic bodies. General conditions of the uniform convergence of this series are determined. The distribution of stresses in an infinite circular cylinder loaded with radial forces in an asymmetric and non-standard temperature field was determined. Twenty six formulas, four bibliographic references.

2/2

- 101 -

(数数数4.4) 1955年 - 1957年 -					33 Superment
- 226-	the permitted outholishment of during the growth process.  Re in individual stages is not conflicients for each type of permitted establishment that the determined by the ratio of the ectly before coslascence which smice.	a) in the nucleation state on the substrate, two types of particles are observed: small particles with triangular faceting (the cubic phase) and larger unfaceted particles.  b) The maximum density of the nuclei of two types is determined by the thermodynamic conditions of synthesis (T <sub>e</sub> , T <sub>test</sub> , the degree of deviation from the equilibrium state inside the evaporator). The knowledge of the maximum maxifield density of both types under different conditions of krowth persisted estimation of the activation energy of the nucleation, adsorption and diffusion.  c) The nature of the variation in altitude and transverse dimensions	The 1712 p 421 has naturated at the nuclear formation and an electron pictures presented in the form of graphical relations persented the scort electron ele	XVI-2. STULY OF THE INITIAL STAGES OF EPITAXIAL GROWTH FILMS OF CADMIUM SELECTED ON HICA  [Article by A. T. Denimova, I. P. Kallinkin, K. K. Huran'seva, V. h. Aleskovskiy, L. J. Alevandrov, Leningrad, Hovistbirek, Howselbirek, 111 Siegosium to Piet- sensem Kosta i Sinieza, Polyprovodnikovyki, Kriataliny i Pienok, Amesian, 12-11	5. Ches. 5.

UDC 648.7:599.323.4

SMIRNOV, A. A., LOBACHEV, V. S., and DENISOVA, A. V., Chair of Vertebrate Zoology, Moscow State University imeni M. V. Lomonosov, Moscow

"Effect on the Reproductive Capacity of Great Gerbils of Treatment of Plants in Their Settlements With Sevin"

Moscow, Nauchnyye Doklady Vysshey Shkoly, Biologicheskiye Nauki, No 3, 1971, pp 29-33

Abstract: In an area 100 km east of the city of Aral'sk, plants in great gerbil (Rhombomys opimus Licht.) settlements were sprayed with sevin in the amount of 0.5 g/m². The consumption of plant feed containing sevin, which was preserved for long periods of time in the animals' feed storage chambers, reduced the total number of embryos increased the number of resorbed embryos, and delayed fertilization of females as well as the time of exit of young animals from the burrows, so that the young animals lacked fresh plant food, which was no longer available during the hot weather. When the settlement area was treated with sevin, the number of animals in the settlements was reduced by a factor close to two and the number of inhabited settlements decreased. Introduction of sevin into the burrows of the great gerbil in large doses may be a method of controlling these animals in plague foci that 1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

SMIRNOV, A. A., et al., Nauchnyye Doklady Vysshey Shkoly, Biologicheskiye Nauki, No 3, 1971, pp 29-33

a diens slavas irmelsaasis bides sl

is preferable to dusting of the burrows with DDT combined with spreading tait poisoned with zinc phosphide on the surface, there methods are being used now. The delayed action of sevin as compared with that of zinc phosphide is of advantage, because sevin is spread by the animals throughout the burrows. Sevin would exert its effect in the burrows in locations in which the fleas hatch and concentrate.

2/2

- 59 -

Acc. Nr: AP0051942\_

Ref. Code: UR0219

PRIMARY SOURCE: Byulleten' Eksperimental'noy Biologii i

Meditsiny, 1970, Vol 69, Nr 2, pp 9-12

SIGNIFICANCE OF CHOLINERGIC MEDIATION IN THE CENTRAL REGULATION OF RESPIRATION

G. A. Denisova

Acad. I. P. Pavlov I Leningrad Medical Institute

A dissimilar sensitivity of individual "respiratory zones" to metamisyl—a central anticholinergic agent—was evinced in local stimulation of various structures of the medulla oblongata and in registration of response respiratory reactions. It is pointed out that under the effect of metamisyl maximum ex- and inspiratory shifts occur without any substantial variations of the background respiration. These facts bear witness to a difference in the neurochemical organization of central mechanisms of respiratory regulation and to the dissimilar degree to which cholinergic mediation participates in these processes. There exists a definite independence of mechanisms associated with regulation of the initial respiration level and with the emergence of abrupt expiratory and inspiratory shifts.

1/

REEL/FRAME 19820425

2 pc

UDC: 669.2:536.24

RAFALOVICH, I. M. and DENISOVA, I. A.

Determination of the Thermal Properties of Metallurgical Materials (Opredeleniye teplofizicheskikh svoystv metallurgicheskikh materialov), Moscow, "Metallurgiya" Press, 1971, 160 p., 76 illustrations, 55 tables, 144 bibliographic references.

This second and revised edition outlines newly developed techniques, procedures and set-ups making it possible to determine the thermal properties of ordinary and composite materials as well as the viscosity of melts. Cited for the first time are data on the thermophysical properties of various nonferrous and rare metals determined by the new techniques at different production stages. The proposed procedures and equipment designs feature simplicity and an accuracy sufficient for engineering calculations. The book is intended for engineers and technicians (metallurgists, heat engineers, physicists and chemists) associated with research laboratories of plants and institutes as well as for students in related disciplines and specialties.

1/2

- 55 -

perties of	Metallurgi	d DENISOVA, I. cal Materials,	Moscow, "Me	tallurgiya"	Press, 1971	ro- , 160 p
TABLE OF C	CONTENTS (A	briged)				
FOREWORD						3
Ch. I.		ion. Methods a al Properties o			ining	<b>7</b>
Ch. II.	Procedures	s and Equipment				16
Ch. III.	Thermal Pi	coperties of th	e Concerned	Materials		97
REFERENCES						155
2/2	•					

UDC 669-157:669.15-194.56

GOL DSHTEYN, M. I., DENISOVA, I. K., ZAKHAROV, V. N., and KOPYLOVA, V. A., Ural Polytechnic Institute imeni S. M. Kirov

"Change of the Fine Structure of Heat-Resistant Austenitic Steel During Aging"

Sverdlovsk, Fizika Metallov i Metallovedeniye, Vol 36, No 4, Oct 73, pp 742-746

Abstract: An experimental study was made of fine structure changes of three melts (1 - containing Mo, V, and Nb, 2 - not containing Mo and Nb, and 3 - not containing Mo, V, and Nb) of EI481 austenitic heat-resistant steel in the process of aging. The results are discussed by reference to diagrams showing the changes in width of the interferential line (311)%, of the austenite, the blocks and microdistortions, the density of dislocations, and of the lattice parameter. The fine austenitic structure of steel alloyed with Mo, V, and Nb (melt 1)

1/2

- 41 -

GOL'DSHTEYN, M. I., et al., Fizika Metallov i Metallovedeniye, Vol 36, No 4, Oct 73, pp 742-746

and alloyed with only V (melt 2) were found to undergo considerable changes during aging; a crushing of blocks and a growing of microdistortions and of the density of dislocations take place. These changes in the structure of the matrix are accompanied by a considerable enlargement of interferential lines and by a change of the lattice parameter. The discussed changes of the fine structure of the matrix together with the influence of the very dispersion particles result in a considerable strengthening of steel in the process of dispersion hardening. Five figures, one table, ten bibliographic references.

2/2

UDC 612.833.81

DENISOVA, I. M., and KOSILOV, S. A., Institute of Developmental Physiology and Physical Training, Academy of Pedagogical Sciences USSR

"Formation and Improvement of Purposeful Precise Movements in Animals"

Moscow, Zhurnal Vysshey Nervnoy Deyatel'nosti, No 1, 1970, pp 73-84

Abstract: Dogs were taught to press their right front paw on a lever that moved a bowl of food enclosed in a transparent box. With the right amount of pressure on the lever, the bowl coincided with an opening in the top of the box, and the animal was able to get the food. If the pressure was too light, the bowl failed to reach the opening; if too heavy, it passed by the opening and the animal did not get the food. Precision increased with training. The number and duration of searching movements steadily decreased until the bowl retrieved in a single step. Even when the weights attached to the lever were changed, the precision of the movements remained high, because of the increased intensity of search. 1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

USSR

DENISOVA, I. M., et al., Moscow, Zhurnal Vysshey Nervnoy Deyatel'nosti, No 1, 1970, pp 78-84

This was achieved not by a lengthening of the period of analysis, but by an increase in the number of stages in the search.

2/2

- 8h -

1/2 015 UNCLASSIFIED PROCESSING DATE--11SEP70 TITLE--FORMATION AND PERFECTION OF PURPOSEFUL PRECISE MOVEMENTS IN ANIMALS -U-

AUTHOR-DENISOVA, I.M., KOSILOV, S.A.

COUNTRY OF INFO--USSR

SOURCE--ZHURNAL VYSSHEY NERVNOY DEYATEL NOSTI, 1970, VOL 20, NR 1, PP

DATE PUBLISHED---- 70

SUBJECT AREAS--BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--DOG, CONDITIONED REFLEX

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1982/0791

STEP NO--UR/0247/70/020/001/0078/0084

CIRC ACCESSION NO--APO052229

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

PROCESSING DATE--11SEP70 UNCLASSIFIED 2/2 015 CIRC ACCESSION NO--AP0052229 ABSTRACT. THE DOGS WERE TRAINED TO PRESS ABSTRACT/EXTRACT--(U) GP-0-PRECISELY A LEVER WITH THE LEG. UPON A CERTAIN EFFORT AND AMPLITUDE OF PRESSURE, THE BOWL WITH FOOD COINCIDED WITH THE OPENING IN THE TRANSPARENT JACKET. AND THE DOG RECEIVED THE FOOD. AS TRAINING WENT ON, THE PRECISION OF PRESSURE IMPROVED. AT THE INITIAL STAGE THE NUMBER AND DURATION OF SEARCH STOPPAGES INCREASED AS THE PRESET HEIGHT OF THE BOWL LIFTING WAS BEING APPROACHED. THIS TESTIFIED TO THE PARTICIPATION OF THE ANALYSIS OF KINESTHETIC STIMULI. THEN, AS THE MAXIMUM OF THE PARAMETERS WAS ACHIEVED. THE SEARCH STOPPAGES BEGAN TO DECREASE (WINDING UP THE SEARCH) AND THE MOVEMENTS BECAME SINGLE STAGED. I. E. THE KINESTHETIC ANALYSIS CEASED. IN A SINGLE EXPERIMENT, WHEN THE REQUIRED PRESSURE AMPLITUDE REMAINED CONSTANT, WHILE THE EFFORTS FOR ITS ACHIEVEMENT CHANGED, THE ACCURACY OF THE MOVEMENT REMAINED HIGH DUE TO A CONSIDERABLE INCREASE IN THE SEARCH.

UNCLASSIFIED.

1/2 029 UNCLASSIFIED PROCESSING DATE--230CT70
TITLE--THERMAL HARDENING OF COMPOSITIONS CONTAINING

POLY (METHYLPHONYISILOXANE) AND FINELY DISPERSED LAMINATED SILICATES -U-AUTHOR-(05)-DENISOVA, N.A., KROTIKOV, V.A., KHARITONOV, N.P., FILINA,

COUNTRY OF INFO--USSR

SOURCE--IZV. AKAD. NAUK SSSR, NEORG. MATER. 1970, 6(2), 362-7

DATE PUBLISHED ---- 70

SUBJECT AREAS--MATERIALS

TOPIC TAGS--HARDNESS, SILOXANE, LAMINATED PLASTIC, TALC, ASBESTOS, ALCOHOL, POLYMER CROSSLINKING, THERMAL EFFECT, BUTANOL

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1997/0623

STEP NO--UR/0363/70/005/002/0362/0367

CIRC ACCESSION NO--APO119535

UNCLASSIFIED

2/2 029 UNCLASSIFIED PROCESSING DATE--230CT70 CIRC ACCESSION NO--APO119535 ABSTRACT/EXTRACT--(U) GP-O- ABSTRACT. ORG. SILICATE COMPNS. CONTG. POLY(METHYLPHENYLSILOXANE) (I) WERE HARDENED IN THE PRESENCE OF FINELY DIVIDED MUSCOVITE, TALC, ASBESTOS, AND MONTMORILLONITE (WHICH HAD BEEN TREATED WITH BOILING BUOH, OCTANOL, OR DECANOL AT 180-300DEGREES). INDICATED THAT THE HYDROXIYLATED SURFACE OF THE LAMINATED SILICATES REACTED WITH ALCS. ONLY AT LARGER THAN OR EQUAL TO 200-30DEGREES. THUS, THE SIGH GROUPS PARTICIPATED IN CONDENSATIONS OCCURRING DURING THE HARDENING OF I. THERMAL HARDENING OF I WITHOUT LAMINATED SILICATES PROCEEDED WELL ONLY AT LARGER THAN OR EQUALS TO 200-300DEGREES. THE THERMAL HARDENING OF I WAS ACCOMPANIED BY EVOLUTION OF GASEOUS PHME, C SUBG H SUBG, AND CO SUB2. A CROSSLINKING MECHANISM FOR THE HARDENING OF I WAS PROPOSED. FACILITY: INST. KHIM. SILIKAT. IM. GREBENSHCHIKOVA, LENINGRAD, USSR.

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

Adsorption

USSR

UDC: 621.9-496:532.546:546.284

KROTIKOV, V. A., TIKHOMOLOVA, K. P., KHARITONOV, N. P., and DENISOVA, N. A., Institute of Chemistry of Silicates imeni I. V. Grebenshchikov, Leningrad, Academy of Sciences USSR, and Leningrad State University imeni A. A. Zhdanov, Leningrad, Ministry of Higher and Secondary Specialized Education RSFSR

"Preparation of Rigid, Chemically Resistant Porous Bodies on the Basis of the System Polyorganosiloxane-Quartz"

Leningrad, Zhurnal Prikladnoy Khimii, Vol 43, No 6, Jun 70, pp 1229-1234

Abstract: Rigid, chemically inert diaphragms are essential for the study of phenomena involving liquid flow through fine pores. The material of the diaphragms must be rigid to preclude displacement of parts of the diaphragm under the effect of liquid flow. Cylidrical diaphragms that fulfill this condition were prepared from quartz powder and organosilicon lacquer KO-815 (GOST 11066-64). Quartz powder with particle diameters of 16-144, 144-52, or 52-75  $\mu$  was combined with the polyor-ganosiloxane in a ratio of 9:1 by weight, using a toluene solution of the polymer. On evaporation of the toluene, the mixture was subjected to cold pressing in a mold (2000 kg/cm² for 10 min for a cylinder with a diameter of 30 mm and height of 90-120 mm). The diaphragm was then kept at 280° for 3 hrs and calcined at 550° for

1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

KROTIKOV, V. A., et al, Zhurnal Prikladnoy Khimii, Vol 43, No 6, Jun 70, pp 1229-1234

24-72 hrs. KO-815 (polyphenylsiloxane with a branched structure) decomposed during the thermal treatment, forming SiO<sub>2</sub> that cemented together the quartz. The total porosity of the diaphragms was 20-30%. The mean pore radius, which increased with the quartz particle size and with the length of the time of calcination, ranged from 2.7 µ (quartz particle size 16-44 µ, 48 hrs at 550°) to 6.1 µ (quartz particle size 16-44 µ, 48 hrs at 550°)

the quartz particle size and with the length of the time of calcination, ranged from 2.7  $\mu$  (quartz particle size 16- $\mu$   $\mu$ ,  $\mu$ 8 hrs at 550°) to 6.1  $\mu$  (quartz particle size 52-75  $\mu$ , 72 hrs at 550°). The diaphragms were chemically stable to prolonged boiling in 0.01 N solutions of KC1 and HC1. Comparison of the electrokinetic characteristics (zeta potential and the coefficient of effectiveness  $\alpha$  in KC1 solutions) of the diaphragms and powdered quartz showed that SiO derived from KO-815 covered the quartz particles in the form of a dense layer and that the surface of this layer had a structure different from that of quartz.

2/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

t screen and the control of the cont

UDC 546.77'183:661.183.9

VINMER, I. K., VOICHINOVA, E. S., DENISOVA, N. E.

"Ion-Exchange Properties of Zirconium 'Molybdophosphates' (ZMP)"

Leningrad, Russian, Zhurnal prikladnoi khimii, vol 46, No 7, July 73, pp 1471-1475

Abstract: Studies on the ion-exchange properties of ZMP as a function of the method of preparation showed that ZMP prepared at pH 3 was smaller in volume and had smaller pores than samples prepared at lower pHs (0.50-1.65). In the presence of heteropoly acid, ions that form slightly soluble molybdates were sorbed partially by a precipitation mechanism. But in the presence of phosphomolybdic heteropoly acid, sorption was chiefly by ion exchange. When the ZMP product was dried at temperatures higher than 150°C, the ion-exchange volume decreased markedly compared to that dried at lower temperatures. Above 400°C, there was a condensation of the phosphoric acid groups.

1/1

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

UNCLASSIFIED PRUCESSING DATE--020CT70
TITLE--MATERIALS ON PHYSICO CHEMICAL CHARACTERISTICS OF THE PREPARATIONS
OF CRUDE AND PURIFIED -UAUTHOR-(02)-DENISOVA. N.P., SHAPIRO, N.I.

COUNTRY OF INFO--USSR

SOURCE--ZHURNAL MIKROBIOLOGII, EPIDEMIOLOGII I IMMUNOBIOLOGII, 1970, NR 4, PP 72-77

DATE PUBLISHED----70

SUBJECT AREAS—BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--ELECTROPHORESIS, DYSENTERY, CHROMATOGRAPHY, UV SPECTRUM, IR SPECTRUM, SKIN TEST, DIAGNOSTIC METHODS, ANTIGEN

CONTROL MARKING-NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED PROXY REEL/FRAME--1938/1674

STEP NO--UP/0016/70/000/004/0072/0077

CIRC ACCESSION NO--APO106420

UNCLASSIFIED

UNCLASSIFIED PROCESSING DATE--020CT70
CIRC ACCESSION NO--APO106420
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. A COMPARATIVE STUDY WAS MADE OF THE ELECTROPHORETIC PROPERTIES, DISTRIBUTIVE CHROMATOGRAPHY, COLUMN MOLECULAR CHROMATOGRAPHY AND SPTIC PROPERTIES (UV SPECTRA, INFRARED SPECTRA, DYSPERSION AND DPTIC ROTATION) OF THE PREPARATIONS OF GRUDE AND PURIFIED DYSENTERIN USED FOR SKIN TESTS IN DIAGNOSIS OF DYSENTERY.
PURIFIED DYSENTERIN WAS PURELY PROTEIN, AND HOMOGENEOUS IN SIZE (MOLECULAR WEIGHT ABOUT 12,000). A MARKED POLYDISPERSITY AND THE PRESENCE OF ADMIXTURES OF COMPONENTS OF NUCLEAR NATURE AND DERIVATIVES OF A COMPLEX ANTIGEN WERE REVEALED IN PREPARATIONS OF CRUDE DYSENTERIN.

UNCLASSIFIED

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

1/2 024 UNCLASSIFIED PROCESS

PROCESSING DATE--020CT70

TITLE-THE PRESENCE OF COMMON PEPTIDE FRAGMENTS IN THE PROTEIN ALLERGENS OF ENTEROBACTERIA -U-

AUTHOR-(02)-SHAPIRO, N.I., DENISUVA, N.P.

COUNTRY OF INFO--USSR

SOURCE--ZHURNAL MIKROBIOLOGII, EPIDEMIOLOGII I IMMUNOBIDLOGII, 1970, NR 3,

PP 77-80

DATE PURLISHED----70

SUBJECT AREAS-BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS-ESCHERICHIA COLI, PARATYPHOID FEVER, TYPHOID FEVER, VACCINE, DYSENTERY, PEPTIDE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--1990/1489 STEP NO--UR/0016/70/000/003/0077/0080

CIRC ACLESSION NO--APO109549

The second secon

UNCLASSIFIED

UNCLASSIFIED -PROCESSING DATE--020CT70 024 2/2 CIRC ACCESSION NO--APO109549 ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE AUTHORS EXAMINED THE PROTEIN ALLERGENS ISOLATED FROM THE STRAINS OF A NUMBER OF REPRESENTATIVES OF INTESTINAL FAMILY, DYSENTERY FLEXNER 26, E. COLI OIII, TYPHOID NO. 1203 AND PARATYPHOID B NO. 50602 BY MODIFIED TSUVERKALOV'S METHOD. THE PREPARATIONS WERE SUBJECTED TO ENZYMATIC SPLITTING WITH CRYSTALLINE TRYPSIN. AND PEPTIDE MAPS OF HYDROLYZATES WERE OBTAINED BY THE FINGER PRINT METHOD. THE PROTEIN ALLERGENS UNDER STUDY CONTAINED IN THEIR PRIMARY STRUCTURE FRAGMENTS, COMMON BY PEPTIDE COMPOSITION. THIS CIRCUMSTANCE WAS A POSSIBLE CAUSE OF CROSS REACTIONS SEEN IN ADMINISTRATION OF HETEOLOGOUS ALLERGENS TO ANIMALS SENSITIZED WITH DYSENTERY VACCINE.

UNCLASSIFIED-

UDC 669.295.053.24

DEGTYAREV, V. S., DENISOV. S. I., DENISOVA, N. V., KIPRICH, N. A., AND GOBOV, A. P.

"Testing the Process of Melting of Titanium Slags on the Basis of Changing Electrical Resistance"

Sb. tr. Vses. n.-i. i proyektn. in-t titana [Collected works of All-Union Scientific-Research and Planning Institute for Titanium], 6, 1970, 27-29, (Translated from Referativnyy Zhurnal-Metallurgiya, No. 1, 1971, Abstract No. 1G188 by the authors).

Translation: Results are presented from a study of the electrical resistance of granulated Ti slags as a function of various factors at 25°. As the content of FeO changes from 15.49 to 2.5%, the resistivity of Ti slag with a grain size of less than 0.1 mm decreases from 3.08·10<sup>-5</sup> to 1.41·10<sup>3</sup> ohm·cm, i.e., by 218 times. Testing of the reduction electric melting of Ti concentrates, consisting of determination of FeO during the course of the process, can be performed by determining the electrical resistance of the slags. 2 figures; 1 table.

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2"

USSR UDC 669.259-04

DEGTYAREV, V. S., DENISOV, S. I., DENISOVA, N. V., KIPRICH, N. A., and GOBOV, A. P.

"On Controlling the Process of Smelting Titanium Slags by Change in Electric Conductivity"

Moscow, Metallurgiya i Khimiya Titana (Institut Titana), Metallurgiya Publishing House, Vol 6, 1970, pp 27-29

Translation: Results are given of an investigation of the electrical resistance of pulverized titanium slags at a temperature of 25°C. It is established that, with a change in the ferrous oxide content from 15.49 to 2.5%, the specific resistance of the titanium slag with a coarseness of -0.1 millimeters decreased from  $3.08 \cdot 10^{-5}$  to  $1.41 \cdot 10^{-3}$  ohms/cm, i.e., by a factor of 218. In the authors' opinion, control over reduction electrosmelting of titanium concentrates, which consists of determining ferrous oxide during the course of the process, can be exerted by establishing the electrical resistance of the slags. Two illustrations, one table, and three bibliographic entries.

1/1

CIA-RDP86-00513R002200620016-2"

APPROVED FOR RELEASE: 08/09/2001

UDC 661.183.9 : 546.831'776'185

VINTER, I. K., BOYCHINOVA, YE. S., and DENISOVA, N. YE.

"Effect of Synthesis Conditions on Ion-Exchange Properties of Zirconium 'Molybdophosphates'"

Leningrad, Zhurnal Prikladnoy Knimii, Vol 43, No 8, Aug 70, pp 1678-1682

Abstract: The article describes results of a study of the ion-exchange properties of zirconium "molybdophosphates" as affected by (1) the anion: zirconium ratio [(Mo + P) : Zr] in the initial solutions with a constant Mo: P ratio, (2) the Mo: P ratio with a constant (Mo + P) : Zr ratio in the initial solution, (3) the pH value of the precipitation. It was found that the static exchange capacity of the specimens increases with an increase in the (Mo + P) : Zr ratio. The optimal static exchange capacity is found in specimens with the (Mo + P) : Zr ratio in the initial solution equal to 10 : 1. Given a constant (Mo + P) : Zr ratio, the capacity drops with an increase in the molybdate and a decrease in the phosphate. The optimal conditions

1/2

VINTER, I. K., et al., Zhurnal Prikladnoy Khimii, Vol 43, No 8, Aug 70, pp 1678-1682

for obtaining granulated zirconium "molybdophosphate" specimens are Mo: P: Zr ratios in the initial solutions of 6: 4: 1 and 7: 3: 1 and pH values at the end of precipitation of 1.65 and 3.70 respectively.

2/2

- 22 -

UDC 620.193.41

DENISOVA, V. G., Kievenergo

"Influence of Arsenic in Carbon Steels on Corrosion Rate in Solutions of Sulfuric Acid"

Moscow, Zashchita Metallov, Vol 7, No 2, Mar-Apr 71, pp 169-170

Abstract: The author studied the influence of arsenic content in carbon steels, temperature, and concentration of sulfuric acid on corrosion rate. The rate of dissolution of carbon steels in dilute sulfuric acid increases with increase in carbon content. The arsenic changes this somewhat. An arsenic content of 0.14% increases the rate of corrosion of steels with up to 0.5% carbon, while increasing the arsenic content to 0.3-0.7% decreases the corrosion rate. With a carbon content of 0.75%, 0.14% arsenic charply inhibits corrosion. Further increases in arsenic content have almost no influence with this carbon content.

1/1

LDC 546.26.546.45.543.226

YEVSEYEVA, T. I., CHERSTVENKOVA, YE. P., NIKOL'SKIY, V. A., and DENISOVA, V.I.

"Determination of Free Carbon In Metallic Beryllium"

Moscow, Zavodskaya Laboratoriya, No 4, 1973, pp 397-400

Abstract: A thermogravimetric study was made of the rate of burn out of metallic beryllium and its carbide. The analysis was done in air on a thermobalance with continuous weighing with slow warm-up of the furnace up to 1120° C. The beryllium carbide produced by caking of metal oxide with carbon black contained 7.4% 0, 6.4% free C. and 33.3% bound C. The free C was found to oxidize more rapidly and at a lower temperature than carbon carbide. The suggested method of determining free C in metallic beryllium is based on burn up of a weighed sample of the material in a stream of oxygen with subsequent gas-chromatographic measurement of the separated carbon dioxide. The quantity of carbon carbide in any of residues after direct determination of free carbon was found to be equal to its initial content. Results of the activation analysis confirm the accuracy of the method. Three figures, three tables, eight bibliographic references,

1/1

CIA-RDP86-00513R002200620016-2"

APPROVED FOR RELEASE: 08/09/2001

#### Radiobiology

USSR

UDC 617-001.28-036.12-06:616.12-009.86

DENISOVA. Ye. A. and GORBARENKO, N. I., Institute of Industrial Hygiene and Occupational Diseases, Academy of Medical Sciences USSR

"Variations of the Syndrome of Neurocirculatory Dystonia in Persons Chronically Exposed to Radiation"

Moscow, Meditsinskaya Radiologiya, No 6, 1971, pp 43-48

Abstract: The authors report detailed clinical studies on the cardiovascular, nervous, and endocrine systems in 178 X-ray technicians, researchers handling radioisotopes, and other individuals working with sources of ionizing radiation for 10 to 20 years (total dose received 70 to 400 rem) showed most of them to be suffering from headaches, ready fatigability, cardiovascular and functional thyroid and adrenal disorders constituting the syndrome were distinguished according to the level of arterial pressure - hypotensive, hypertensive, and normal. The clinical symptoms and physiological reactions were largely the same as those of individuals suffering from neurocirculatory dystonia not resulting from occupational contact with ionizing radiation.

1/1

## Explosives and Explosions

USSR

UDC 541.427.6:126

DENISYUK, A. P., and ROGEL'ZANG, A. Ye., Moscow Chemical-Technological Institute Imeni D. I. Mendeleyev

"Temperature Profiles During the Burning of Ballistic Powder With an Anomalous Burning-Pressure Relationship"

Ivanovo, IV 2, Khimiya i Khimicheskaya Tekhnologiya, Vol 14, No 6, 1971, pp 861-864


Abstract: Temperature distribution during the burning of a "N" type powder without a catalyst (control) and one containing lead-copper catalyst was studied in the 50-90 kg/cm² range, where they showed a positive dependence. The control sample showed an increased heat emission in k-phase with increased pressure, while the incoming heat from its smoke-gas zone showed a drop; the incoming heat component amounted to about 10-15% of the total. The sample with the catalyst behaved similarly in regard to the heat emission, but its incoming heat was lower - only about 4-5%. Analysis of the data in the pressure range 20-30 kg/cm² showed that even though the maximum flame temperature is about the same for both powders, the one with the catalyst shows a shorter period for the completion of gas reaction, so it 1/2

DENISYUK, A. P., and FOGEL'ZANG, A. Ye., Khimiya i Khimicheskaya Tekhnologiya, Vol 14, No 6, 1971, pp 861-864


is concluded that the catalyst accelerates the reactions in the smoke-gas and gas zones, especially the reactions occurring in the k-phase. In the  $60-90~\mathrm{kg/cm^2}$  range the rate of the burning drops in the powder with catalyst probably due to the "poisoning" effect of the catalyst.


2/2

- 7 -




"APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2





"APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R002200620016-2



UDC 669.187.26

KUDRYAVISEV, M. M., VOINOV, S. G., VERKHOVISEV, E. V., DENISYUK, T. P., and SAFONOV, V. L.

"The Quality of Structural Steel of Different Smelting Methods in the Sorted Billet and After Electroslag Remelting"

Abstract: A comparative investigation was made of the properties of 30KhGSA, 40KhNMA, and 18Kh2N4VA structural steels smelted according to five variants: in basic 40-ton and 120-ton open-hearth furnaces (1&2); in a basic 120-ton open-hearth furnace with steel processed in the ladle by synthetic lime-aluminaceous slag (3); in a 20-ton arc furnace with basic lining (4), and in a 120-ton open-hearth furnace with intermediate production and subsequent deoxidation and alloying with liquid ligature alloy and simultaneous processing with synthetic slag in the ladle. Properties of the steels, content of harmful impurities, contamination by nonmetallic inclusions, and mechanical characteristics are discussed. Heat treatment of open-hearth steel processed by synthetic slags in the ladle or alloyed with liquid ligature makes it possible to use the metal for electroslag remelting. In this case, the quality of the metal of electroslag remelting does not worsen and the net cost decreases substantially. Three figures, three tables, seven bibliographic references.

1/1

USSR

UDC: 621.396.6-181.48

BRYUNIN, V. N., DENISYUK, V. A., KOZYR', I. Ya.

"Physicotechnical Methods of Quality Control of Integrated Circuits"

Elektron. prom-st'. Nauch.-tekhn. sb. (The Electronics Industry. Scientific and Technical Collection), 1972, No 1, pp 22-25 (from RZh-Radio-tekhnika, No 8, Aug 72, Abstract No 8V266)

Translation: The paper deals with the particulars of physicotechnical methods of checking microcircuits by using an X-ray TV microscope and a raster electron microscope. Resumé.

1/1

UNCLASSIFIED PROCESSING DATE--11SEPTO TITLE--SOME PROBLEMS OF COMPLEX TREATMENT OF PATIENTS WITH ULCER DISEASE AT THE MORSHIN HEALTH RESDRT -U-AUTHOR--BORIN, YA.V., DENISYUK, V.G., SEREDYUK, N.N.

COUNTRY OF INFO--USSR

SOURCE--VRACHEBNOYE DELO, 1970, NR 3, PP 39-41

DATE PUBLISHED ---- 70

SUBJECT AREAS--BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--GASTROINTESTINAL SYSTEM, DIGESTIVE DISEASE, DUODENUM, LESION, MINERAL, WATER

CONTROL MARKING-NO RESTRICTIONS

PROXY REEL/FRAME--1986/0951

STEP NO--UR/0475/70/000/003/0039/0041

CIRC ACCESSION NO--APO102890

UNCLASSIFIED